GAPDH Mouse mAb

Cat. QYA03819A

Background

This gene encodes a member of the glyceraldehyde-3-phosphate dehydrogenase protein family. The encoded protein has been identified as a moonlighting protein based on its ability to perform mechanistically distinct functions. The product of this gene catalyzes an important energy-yielding step in carbohydrate metabolism, the reversible oxidative phosphorylation of glyceraldehyde-3-phosphate in the presence of inorganic phosphate and nicotinamide adenine dinucleotide (NAD). The encoded protein has additionally been identified to have uracil DNA glycosylase activity in the nucleus. Also, this protein contains a peptide that has antimicrobial activity against E. coli, P. aeruginosa, and C. albicans. Studies of a similar protein in mouse have assigned a variety of additional functions including nitrosylation of nuclear proteins, the regulation of mRNA stability, and acting as a transferrin receptor on the cell surface of macrophage. Many pseudogenes similar to this locus are present in the human genome. Alternative splicing results in multiple transcript variants.

Source

GAPDH mouse monoclonal antibody is produced by immunizing animals with the internal region of human GAPDH protein. The antibody was affinity-purified by affinity-chromatography using specific immunogen.

Product

Each vial contains 100ug mouse IgG diluted in 100ul of PBS pH7.4 containing 0.02% sodium azide and 50% glycerol. The antibody concentration is 1mg/ml.

Specificity

The antibody detects endogenous GAPDH proteins.

Applications and Suggested Working Concentration

WB: 1:5000-1:10000

IF: 1:200

IHC: 1:200

Storage

Storage at -20℃. Do not aliquot the antibody. Stable for one year from the date of shipment.

Research Use

For research use only, not for use in diagnostic procedures.

Data



Western blot analysis:
1.293 2.U2OS 3. HCT116
Antibody was diluted at 1:5000.



Western blot analysis of different cell line and pig sample.
Antibody was diluted at 1:5000.



Western blot analysis:
使用 ProteinSimple 公司 Wes 全自动蛋白质表达定量分析系统。

GAPDH Mouse mAb

Catalog No.	QYA03819A
Size.	100ug
Gene Name.	GAPDH
Protein Name.	GAPDH, glyceraldehyde-3-phosphate dehydrogenase
Source.	Mouse
Immunogen.	Synthesized peptide
Purification.	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using specific immunogen.
Specificity.	The antibody detects endogenous GAPDH protein.
Formulation.	PBS, pH 7.4, containing 0.02% sodium azide and 50% Glycerol.
Concentration.	1 mg/ml
Storage / Stability.	-20°C/1 year
Human Gene ID.	2597
Human Swiss-Prot No.	P04406
Mouse Gene ID	100042025
Mouse Swiss-Prot No.	P16858
Rat Gene ID	24383
Rat Swiss-Prot No.	P04797
Reactivity.	H, R, M, Mk, Dg, C, Hm, Rb, Pg, Sh, Insect, Yeast
Applications.	WB, IF, IHC
Predicted band (Da)	36053
Observed band (KDa)	37
Dilution.	WB:1:5000-1:20000, IF:1:200, IHC:1:200
Other name.	GAPDH; GAPD; CDABP0047; OK/SW-cl.12; Glyceraldehyde-3-phosphate dehydrogenase; GAPDH; Peptidyl-cysteine S-nitrosylase GAPDH